In the Claims:

- 1. (Original) A method for a user computer to selectively activate a feature of a software package executing on the user computer comprising: receiving a feature activation license from a remote server; and activating an inactive feature originally present in the software package.
- 2. (Original) The method as recited in claim 1 further comprising sending a request for activation of the inactive feature from a user computer to the remote server before the feature activation license is received by the remote server.
- 3. (Original) The method as recited in claim 2 wherein the inactive feature is not present in the software package and the inactive feature is bundled with the feature activation license.
- 4. (Original) The method as recited in claim 1 wherein the inactive feature is activated automatically in response to a particular event.
- 5. (Original) The method as recited in claim 4 wherein the particular event is an expiration date.
- 6. (Original) The method as recited in claim 4 wherein the particular event is activation of another related inactive feature.
- 7. (Original) The method as recited in claim 1 wherein the feature activation license is authenticated before the inactive feature is activated.
- 8. (Original) The method as recited in claim 1 wherein currency is exchanged from a user of the software package to the software vendor in exchange for the feature activation license.

- 9. (Original) The method as recited in claim 1 wherein the inactive feature is activated for a set period of time.
- 10. (Original) The method as recited in claim 1 wherein a plurality of inactive features are activated concurrently.
- 11. (Original) The method as recited in claim 1 wherein the feature activation license is encrypted.
- 12. (Original) The method as recited in claim 11 wherein the feature activation license is encrypted via a shared symmetric key.
- 13. (Original) The method as recited in claim 11 wherein the feature activation license is encrypted via an asymmetric private key.
- 14. (Original) The method as recited in claim 1 wherein the feature activation license is verified via a plurality of digital certificates.
- 15. (Original) The method as recited in claim 1 further comprising adding a new feature to the software package wherein the new feature is encapsulated with the feature activation license.
- 16. (Original) The method as recited in claim 15 wherein a user of the software package is given an option of obtaining the new feature after requesting the feature activation license.
- 17. (Original) The method as recited in claim further 1 comprising adding a patch to the software package wherein the patch is encapsulated with the feature activation license.

- 18. (Original) The method as recited in claim 17 wherein a user of the software package is given an option of obtaining the patch after requesting the feature activation license.
- 19. (Original) A method for selectively activating a feature of a software package executing on a user computer comprising: a remote server receives a request from a user computer for activation of an inactive feature that is originally present in the software package; the remote server processes the request; and the remote server sends a feature activation license to the user computer for activating the inactive feature.
- 20 (Original) The method as recited in claim 19 wherein the inactive feature is not originally present in the software package and is bundled with the feature activation license.
- 21. (Original) The method as recited in claim 19 wherein the feature activation license is authenticated before the inactive feature is activated.
- 22. (Original) The method as recited in claim 19 wherein currency is exchanged from the user to the software vendor in exchange for the feature activation license.
- 23. (Original) The method as recited in claim 19 wherein the inactive feature is activated on a single computer.
- 24. (Original) The method as recited in claim 19 wherein the inactive feature is activated for a set period of time.
- 25. (Original) The method as recited in claim 19 wherein a plurality of inactive features are activated concurrently.

- 26. (Original) The method as recited in claim 19 wherein the inactive feature is activated for a specific device.
- 27 (Original) The method as recited in claim 19 wherein a feature is activated on a plurality of devices.
- (Original) The method as recited in claim 27 wherein the feature is activated for the plurality of devices via a group identifier.
- 29. (Original) The method as recited in claim 19 wherein the feature activation license is encrypted.
- 30. (Original) The method as recited in claim 29 wherein the feature activation license is encrypted via a shared symmetric key.
- 31. (Original) The method as recited in claim 29 wherein the feature activation license is encrypted via an asymmetric private key.
- 32. (Original) The method as recited in claim 19 wherein the feature activation license is verified via a plurality of digital certificates.
- 33. (Original) The method as recited in claim 19 further comprising adding a new feature to the software package wherein the new feature is encapsulated with the feature activation license.
- 34. (Original) The method as recited in claim 33 wherein the user is given an option of obtaining the new feature after requesting the feature activation license.
- 35. (Original) The method as recited in claim further 19 comprising adding a patch to the software package wherein the patch is encapsulated with the feature activation license.

- 36. (Original) The method as recited in claim 35 wherein the user is given an option of obtaining the patch after requesting the feature activation license.
- 37. (Original) The method as recited in claim 19 wherein the feature activation license is obtained electronically.
- 38. (Original) The method as recited in claim 37 wherein the feature activation license is obtained through email.
- 39. (Original) The method as recited in claim 37 wherein the feature activation license is obtained through a through an Internet web interface.
- 40. (Original) The method as recited in claim 37 wherein the feature activation license is obtained via FTP.
- 41. (Original) The method as recited in claim 37 wherein the feature activation license is obtained via SCP.
- 42. (Original) A method for selectively activating a feature of a software package executing on a user computer comprising:

a user requesting activation of an inactive feature originally present in the software package;

the user computer transmits a request for a feature activation license to a remote server of a software vendor;

the remote server receives the request;

the remote server processes the request;

the remote server sends the feature activation license to the user computer;

the user computer receives the feature activation license; and

the user computer activates the inactive feature.

- 43. (Original) The method as recited in claim 42 wherein the feature activation license is authenticated before the inactive feature is activated.
- 44. (Original) The method as recited in claim 42 wherein currency is exchanged from a user of the software package to the software vendor in exchange for the feature activation license.
- 45. (Original) The method as recited in claim 42 wherein the feature activation license is obtained though a human interaction.
- 46. (Original) A system for selectively activating a feature of a software package comprising:
- a system information interface;
- a device information segment on the system information interface wherein the device information segment shows a product identification and a box identification;
- a software list segment on the system information interface wherein the software list segment shows a plurality of installed software packages;
- a feature activation list segment on the system information interface wherein the feature activation list shows a status of installed features related to an individual installed software package; and
- a software upgrade/installation interface on the system information interface wherein the software upgrade/installation interface is utilized for selectively activating an inactive feature.
- 47. (Original) The system as recited in claim 46 wherein the software list segment is further comprised of a name, a version, a description and an install date each of which is related to the individual software package.
- 48. (Original) The system as recited in claim 46 wherein the feature activation list segment is further comprised of a description, an activation date, an expiration date and a status each of which is related to an individual installed feature of the individual

installed software package.

- 49. (Original) The system as recited in claim 46 wherein a feature activation license is obtained via the software upgrade/installation interface.
- 50. (Original) The system as recited in claim 49 wherein the feature activation license is obtained though an Internet web interface.
- 51. (Original) The system as recited in claim 49 wherein the feature activation license is obtained via FTP.
- 52. (Original) The system as recited in claim 49 wherein the feature activation license is obtained via SCP.
- 53. (Original) A data structure for use in selectively activating a feature of a software package executing on a user computer comprising: a box identification corresponding to the user computer; and a box feature identification that has a list of features to be activated.
- 54. (Original) A data structure for use in selectively activating a feature of a software package executing on a group of user computers comprising: a group identification corresponding to the user computer; and a group feature identification that has a list of features to be activated.
- 55. (Original) A software package which has inactive features that can only be activated through obtaining a feature activation license.
- Original) A method for determining a computer box identifier comprising: obtaining a MAC identifier; obtaining a system information component relating to the computer box; and combining the MAC identifier and the system information component into the

computer box identifier.